- (1) "Assault weapon" means any of the following, except as provided in subdivision (2) of this subsection:
 - (A) A semiautomatic rifle that has the capacity to accept a detachable magazine or that may be readily modified to accept a detachable magazine, if the firearm has one or more of the following:
 - (i) a pistol grip or thumbhole stock;
 - (ii) any feature capable of functioning as a protruding grip that can be held by the non-trigger hand;
 - (iii) a folding, telescoping, thumbhole, or detachable stock, or a stock that is otherwise foldable or adjustable in a manner that operates to reduce the length, size, or any other dimension, or otherwise enhances the concealability of, the weapon;
 - (iv) a flash suppressor;
 - (v) a grenade launcher;
 - (vi) a shroud attached to the barrel or that partially or completely encircles the barrel, allowing the bearer to hold the firearm with the non-trigger hand without being burned, but excluding a slide that encloses the barrel.
 - (B) A semiautomatic rifle that has a fixed magazine with the capacity to accept more than 10 rounds, except for an attached tubular device designed to accept, and capable of operating only with, .22 caliber rimfire

ammunition.

- (C) A semiautomatic pistol that has the capacity to accept a detachable magazine or that may be readily modified to accept a detachable magazine, if the firearm has one or more of the following:
 - (i) a threaded barrel;
 - (ii) a second pistol grip or another feature capable of functioning as a protruding grip that can be held by the non-trigger hand;
 - (iii) a shroud attached to the barrel or that partially or completely encircles the barrel, allowing the bearer to hold the firearm with the non-trigger hand without being burned, but excluding a slide that encloses the barrel;
 - (iv) a flash suppressor;
 - (v) the capacity to accept a detachable magazine at some location outside of the pistol grip; or
 - (vi) a buffer tube, arm brace, or other part that protrudes horizontally behind the pistol grip and is designed or redesigned to allow or facilitate a firearm to be fired from the shoulder.
 - (D) A semiautomatic pistol that has a fixed magazine with the capacity to accept more than 15 rounds.
 - (E) Any shotqun with a revolving cylinder.
 - (F) A semiautomatic shotgun that has one or more of the following:

- (i) a pistol grip or thumbhole stock;
- (ii) any feature capable of functioning as a protruding grip that can be held by the non-trigger hand;
 - (iii) a folding or thumbhole stock;
 - (iv) a grenade launcher;
- (v) a fixed magazine with the capacity of more than 5 rounds; or
 - (vi) the capacity to accept a detachable magazine.
- (G) Any semiautomatic firearm that has the capacity to accept a belt ammunition feeding device.
- (H) Any firearm that has been modified to be operable as an assault weapon as defined in this Section.
- (I) Any part or combination of parts designed or intended to convert a firearm into an assault weapon, including any combination of parts from which an assault weapon may be readily assembled if those parts are in the possession or under the control of the same person.
- (J) All of the following rifles, copies, duplicates, variants, or altered facsimiles with the capability of any such weapon:
 - (i) All AK types, including the following:
 - (I) AK, AK47, AK47S, AK-74, AKM, AKS, ARM, MAK90, MISR, NHM90, NHM91, SA85, SA93, Vector Arms AK-47, VEPR, WASR-10, and WUM.
 - (II) IZHMASH Saiga AK.